

Specifier Details			
Name			
Company			
Email			
Phone			
	Project Deta	ils	
Project Name			
Project Address			
Class (1 to 9 as per NCC)			
Size (number of units or m ² approx)			
	Warranty Require	ements	
Below Grade	[] 10 Years	[] 15 Years	[] 20 Years
Notes / Comments:			
Internal Wet Area	[] 10 Years	[] 15 Years	[] 20 Years
Notes / Comments:			
External, Above Grade (incl. Planters)	[] 10 Years	[] 15 Years	[] 20 Years
Notes / Comments:			



Below Grade		
Element	Code (e.g. WPM 1) / Response	Notes / Comments
[] Below Grade on Slab		
Is this project affected by the water table?		
Is this project affected by contaminated soils/ methane gas?		
[] Below Grade Wall (Blindside Application)		
Advise type of shoring wall system (e.g. sheet pile, bored pile, other)		
Is this project affected by the water table?		
Is this project affected by contaminated soils/ methane gas?		
[] Below Grade Wall (Positive Side Application)		
Advise wall substrate (e.g. off form concrete, blockwork etc.)		
Is this project affected by the water table?		
Is this project affected by contaminated soils/ methane gas?		
[] Lift Pits		
Advise wall substrate (e.g. off form concrete, blockwork etc.)		
Is this project affected by the water table?		
Is this project affected by contaminated soils/ methane gas?		



Internal Wet Area		
Element	Code (e.g. WPM 1) / Response	Notes / Comments
[] Internal Wet Area (Bathroom and Laundry)		
Advise surface finish (tiles, vinyl sheeting etc.)		
Confirm substrate (concrete, FC sheeting etc.)		
	Optional Additiona	Questions
[] Membrane Above and Below Screed		
[] Screed thickness > 40mm		
[] Screed thickness < 40mm		
[] Membrane Above Screed Only		
[] Membrane Below Screed Only		
[] Screed thickness > 40mm		
[] Screed thickness < 40mm		



External, Above Grade (Incl. Planters)			
Element	Code (e.g. WPM 1) / Response	Notes / Comments	
[] External Area - Tile and Screed			
Advice surface finish (tiles, pavers etc.)			
Confirm substrate (concrete, FC sheeting, plywood etc.)			
	Optional Additional Questions		
[] Membrane Above and Below Screed			
[] Screed thickness > 40mm			
[] Screed thickness < 40mm			
[] Membrane Above Screed Only			
[] Membrane Below Screed Only			
[] Screed thickness > 40mm			
[] Screed thickness < 40mm			



Element	Code (e.g. WPM 1) / Response	Notes / Comments
[] External Area - Pavers on Pedestals /Decking		
Name Areas (e.g. balcony, roof terrace etc.)		
Confirm substrate (concrete, FC sheeting, plywood etc.)		
[] External Area - Membrane beneath ballast		
Name Areas (e.g. balcony, roof terrace etc.)		
Confirm substrate (concrete, FC sheeting, plywood etc.)		
[] External Area - Membrane beneath concrete topping		
Name Areas (e.g. podium etc.)		
Surface finish on top of topping		
[] External Area - UV exposed, intermittent pedestrian service traffic		
Name Areas (e.g. balcony, roof terrace etc.)		
Confirm substrate (concrete, FC sheeting, plywood etc.)		
[] External Area - Regular pedestrian traffic		
Name Areas (e.g. balcony, roof terrace etc.)		
Confirm substrate (concrete, FC sheeting, plywood etc.)		
[] Planters		
Name Areas (if required)		
Confirm type of substrate (e.g. concrete, blockwork etc.)		



Element	Code (e.g. WPM 1) / Response	Notes / Comments
[] Landscaped Area		
Name Areas		
Confirm type of substrate (e.g. concrete, blockwork etc.)		
Confirm finish (ballast, artificial turf, soil etc.)		
[] Façade Coating - UV Exposed		
Name area (east façade etc.)		
[] Façade Coating - UV Protected		
Name area (east façade etc.)		
Surface Finish (render, cladding etc.)		
	Other Area	as
Element	Code (e.g. WPM 1) / Response	Notes / Comments
[] Regular vehicular traffic - UV Exposed		
Name Areas		
Is a waterproof membrane required? (recommended for areas over habitable space)		
[] Regular vehicular traffic - UV Protected		
Name Areas		
Is a waterproof membrane required? (recommended for areas over habitable space)		



Element	Code (e.g. WPM 1) / Response	Notes / Comments
[] Plant Room		
Name Areas		
Is a waterproof membrane required? (recommended for areas over habitable space)		
[] Garbage Room		
Typically recommended for area over non-habitable space.		
Is a waterproof membrane required? (recommended for areas over habitable space)		
[] Chemical Store		
Provide details on type of chemical, concentration and exposure		
Is a waterproof membrane required? (recommended for areas over habitable space)		
[] Water Tank (positive pressure only)		
Advise substrate material (e.g. off form concrete, blockwork etc.)		
Name area (OSD tank, sprinkler tank etc.)		
[] Tiled Water Feature		
Name area		
Confirm type of substrate (concrete, blockwork etc.)		



Element	Code (e.g. WPM 1) / Response	Notes / Comments
[] Other Areas		
Please specify		
Please submit your completed Tremco CPG Australia Specification Request to		
		ack to you with a tailored solution for your project.