

## Hazardous, NON-Dangerous Goods

#### 1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: E3 Deep Pour Hardener B

Recommended use: Polyamide resin curing agent

Supplier: Tremco CPG Australia Pty Ltd

ABN: 25 000 024 064 Street Address: 12/4 Southridge Street

Eastern Creek NSW 2766

**Telephone:** 02 9638 2755 **Facsimile:** 02 9638 2955

Emergency Telephone number: 02 9037 2994 (Aus) +1 703-741-5500 (Worldwide)

#### 2. HAZARDS IDENTIFICATION

This material is hazardous according to the criteria of Safe Work Australia GHS 7.





## Signal Word

Danger

## **Hazard Classifications**

Acute Toxicity - Oral - Category 4 Acute Toxicity - Inhalation - Category 4 Skin Corrosion - Category 1A Sensitisation - Skin - Category 1

#### **Hazard Statements**

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H332 Harmful if inhaled.

#### **Prevention Precautionary Statements**

P261 Avoid breathing fumes/vapours.
P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing including eye/face protection.

## **Response Precautionary Statements**

P302+P352 IF ON SKIN: Wash with plenty of water and soap.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with

water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.
P314 Get medical advice/attention if you feel unwell.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P361 Take off immediately all contaminated clothing.

P391 Collect spillage.

Product Name: E3 Deep Pour Hardener B Reference No: 088DP 14BD Issued: 2025-01-16 Version: 2 Page 1 of 6



## Storage Precautionary Statement

P405 Store locked up.

## **Disposal Precautionary Statement**

P501 Dispose of contents/container Dispose of contents and container to licensed,

permitted incinerator, or other thermal destruction device..

#### Poison Schedule:

## **DANGEROUS GOOD CLASSIFICATION**

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

#### 3. COMPOSITION INFORMATION

CHEMICAL ENTITY CAS NO PROPORTION

Fatty acids, C18-unsaturated, dimers, polymers with triethylenetetramine Ingredients determined to be Non-Hazardous

103758-99-2

>= 60 - <=100 %

Balance

100%

#### 4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 0800 764 766).

Inhalation: Allow breathing of fresh air. Allow the victim to rest.

**Skin Contact:** Wash with plenty of soap and water. Wash contaminated clothing before reuse. If skin irritationoccurs: Get medical advice/attention. Specific treatment (see ... on this label). If skin irritation or rash occurs.

**Eye contact:** Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy todo. Continue rinsing. Immediately call a POISON CENTER or doctor/physician.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

**PPE for First Aiders:** Wear gloves, safety glasses, dust mask. Available information suggests that gloves made from should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

**Notes to physician:** Treat symptomatically. Effects may be delayed. Can cause corneal burns. Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

## 5. FIRE FIGHTING MEASURES

Hazchem Code: Not applicable.

**Suitable extinguishing media:** If material is involved in a fire use water fog (or if unavailable fine water spray), alcohol resistant foam, standard foam, dry agent (carbon dioxide, dry chemical powder).

**Specific hazards:** Combustible material.

Product Name: E3 Deep Pour Hardener B Reference No: 088DP 14BD

Issued: 2025-01-16 Version: 2 Page 2 of 6



**Fire fighting further advice:** On burning or decomposing may emit toxic fumes. Fire fighters to wear self-contained breathing apparatus and suitable protective clothing if risk of exposure to vapour or products of combustion or decomposition.

## 6. ACCIDENTAL RELEASE MEASURES

#### **SMALL SPILLS**

Avoid release to the environment.

#### LARGE SPILLS

Avoid release to the environment.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable

#### 7. HANDLING AND STORAGE

**Handling:** Wash hands and other exposed areas with mild soap and water before eating, drinking orsmoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray.

**Storage:** Keep only in the original container in a cool, well-ventilated place away from : Keep container closed when not in use.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits: No value assigned for this specific material by Safe Work Australia.

**Biological Limit Values:** As per the "National Model Regulations for the Control of Workplace Hazardous Substances (Safe Work Australia)" the ingredients in this material do not have a Biological Limit Allocated.

Engineering Measures: Natural ventilation should be adequate under normal use conditions.

Personal Protection Equipment: GLOVES, SAFETY GLASSES, DUST MASK.

Personal protective equipment (PPE) must be suitable for the nature of the work and any hazard associated with the work as identified by the risk assessment conducted.

Wear gloves, safety glasses, dust mask. Available information suggests that gloves made from should be suitable for intermittent contact. However, due to variations in glove construction and local conditions, the user should make a final assessment. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storing or re-using.

## RECOMMENDATIONS FOR CONSUMER USE:

Avoid all unnecessary exposure. Wear protective gloves. Chemical goggles or safety glasses. Wear suitable protective clothing. Wear an appropriate mask. Do not eat, drink or smoke during use.

**Hygiene measures:** Wash ... thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 9. PHYSICAL AND CHEMICAL PROPERTIES

Form: Liquid
Colour: Amber
Odour: Not available

Product Name: E3 Deep Pour Hardener B Reference No: 088DP 14BD

Issued: 2025-01-16 Version: 2 Page 3 of 6



Reference No: 088DP 14BD

**Solubility:** insoluble in water. Log

Specific Gravity: Not available Density: 1,0 g/cm³

**Relative Vapour Density (air=1):** relative vapour density at 20°C - > Air

Vapour Pressure: < 0.01 mm Hg @ 20°C

Flash Point (°C): 511°F

Explosion/Flammability Limits: Non flammable

Autoignition Temperature (°C):392°FMelting Point/Range (°C):~ -10 °CBoiling Point/Range (°C):140-150°CpH:8 - 8,5

Viscosity: Not determined Total VOC (g/Litre): Not determined

> (Typical values only - consult specification sheet) N Av = Not available, N App = Not applicable

#### 10. STABILITY AND REACTIVITY

**Chemical stability:** Stable at normal temperatures and pressures. Stable under normal conditions of use. Reacts with: Incompatible materials.

Conditions to avoid: High temperature. high humidity. Ignition sources. Incompatible materials.

Incompatible materials: Keep away from oxidising agents and strongly alkaline and strongly acidic materials.

Hazardous decomposition products: Thermal combustion may release carbon monoxide and dioxide. Fume.

Hazardous reactions: Hazardous polymerization will not occur.

## 11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

#### **Acute Effects**

Inhalation: Harmful if inhaled. May cause an allergic skin reaction.

**Skin contact:** Causes skin irritation.pH: 8 - 8,5 A skin sensitiser. Repeated or prolonged skin contact may lead to allergic contact dermatitis.

**Ingestion:** Harmful if swallowed. Swallowing can result in nausea, vomiting, diarrhoea, abdominal pain and chemical burns to the gastrointestinal tract.

Eye contact: Causes serious eye damage.pH: 8 - 8,5

Product Name: E3 Deep Pour Hardener B

## Acute toxicity

**Inhalation:** This material has been classified as a Category 4 Hazard. Acute toxicity estimate (based on ingredients):  $10.0 < LC_{50} \le 20.0$  mg/L for vapours or  $1.0 < LC_{50} \le 5.0$  mg/L for dust and mist.

**Skin contact:** This material has been classified as not hazardous for acute dermal exposure. Acute toxicity estimate (based on ingredients):  $LD_{50} > 2,000 \text{ mg/Kg}$  bw

**Ingestion:** This material has been classified as a Category 4 Hazard. Acute toxicity estimate (based on ingredients):  $300 < LD_{50} \le 2,000 \text{ mg/Kg bw}$ 

Issued: 2025-01-16 Version: 2 Page 4 of 6



**Corrosion/Irritancy:** Eye: this material has been classified as not corrosive or irritating to eyes. Skin: this material has been classified as a Category 1A Hazard (irreversible effects to skin).

**Sensitisation:** Inhalation: this material has been classified as not a respiratory sensitiser. Skin: this material has been classified as a Category 1 Hazard (skin sensitiser).

Aspiration hazard: This material has been classified as not an aspiration hazard.

**Specific target organ toxicity (single exposure):** This material has been classified as not a specific hazard to target organs by a single exposure.

#### **Chronic Toxicity**

Mutagenicity: This material has been classified as not a mutagen.

Carcinogenicity: This material has been classified as not a carcinogen.

**Reproductive toxicity (including via lactation):** This material has been classified as not a reproductive toxicant.

**Specific target organ toxicity (repeat exposure):** This material has been classified as not a specific hazard to target organs by repeat exposure.

#### 12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

**Acute aquatic hazard:** Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Equip clean up crew with proper protection. Ventilate area. Evacuate unnecessary personnel.

**Long-term aquatic hazard:** Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Equip clean up crew with proper protection. Ventilate area. Evacuate unnecessary personnel.

**Ecotoxicity:** Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Equip clean up crew with proper protection. Ventilate area. Evacuate unnecessary personnel.

Persistence and degradability: Not established.

Bioaccumulative potential: Not established.

**Mobility:** No additional information available

## 13. DISPOSAL CONSIDERATIONS

Avoid release to the environment.. Dispose of in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with the local regulations. On land, sweep or shovel into suitable containers. Minimize generation of dust. Store awayfrom other materials.

## 14. TRANSPORT INFORMATION

## **ROAD AND RAIL TRANSPORT**

Not classified as Dangerous Goods by the criteria of the "Australian Code for the Transport of Dangerous Goods

Product Name: E3 Deep Pour Hardener B Reference No: 088DP 14BD Issued: 2025-01-16 Version: 2 Page 5 of 6



Page 6 of 6

by Road & Rail" and the "New Zealand NZS5433: Transport of Dangerous Goods on Land".

#### MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

#### **AIR TRANSPORT**

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

## 15. REGULATORY INFORMATION

## This material is not subject to the following international agreements:

Montreal Protocol (Ozone depleting substances)
The Stockholm Convention (Persistent Organic Pollutants)
The Rotterdam Convention (Prior Informed Consent)
Basel Convention (Hazardous Waste)
International Convention for the Prevention of Pollution from Ships (MARPOL)

## This material/constituent(s) is covered by the following requirements:

The Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP) established under the Therapeutic Goods Act (Commonwealth): .

#### 16. OTHER INFORMATION

#### Reason for issue:

Issued: 2025-01-16

This information was prepared in good faith from the best information available at the time of issue. It is based on the present level of research and to this extent we believe it is accurate. However, no guarantee of accuracy is made or implied and since conditions of use are beyond our control, all information relevant to usage is offered without warranty. The manufacturer will not be held responsible for any unauthorised use of this information or for any modified or altered versions.

If you are an employer it is your duty to tell your employees, and any others that may be affected, of any hazards described in this sheet and of any precautions that should be taken.

Safety Data Sheets are updated frequently. Please ensure you have a current copy.

Product Name: E3 Deep Pour Hardener B Reference No: 088DP 14BD

Version: 2